Molecular Plant Biophysics and Biochemistry

Publications - download articles by clicking on image

2010



Pertl H, Pöckl M, Blaschke C, Obermeyer G (2010) Osmoregulation in Lilium pollen grains occurs via modulation of the plasma membrane H^+ ATPase activity by 14-3-3 proteins. Plant Physiol **154:** 1921-1928



Winship LJ, Obermeyer G, Geitmann A, Hepler PK (2010) Under pressure, cell walls set the pace. Trends in Plant Science **15:** 363-369

2009

Pertl H, Schulze WX, Obermeyer G (2009) The pollen organelle membrane proteome reveals highly spatial-temporal dynamics during germination and tube growth of lily pollen. J. Proteome Res. **8:** 5142-5152

2008

Pertl H, Obermeyer G (2008) Pollenschlauchwachstum: Need for speed oder im Rausch der Geschwindigkeit. Biologie in unserer Zeit **38:** 304-310



Sommer A, Geist B, Da Ines O, Gehwolf R, Schäffner AR, Obermeyer G (2008) Ectopic expression of *Arabidopsis thaliana* plasma membrane intrinsic protein 2 aquaporins in lily pollen increases the plasma membrane water permeability of grain but not of tube protoplasts. New Phytologist **180:** 787-797

Schmidt G, Gadermaier G, Pertl H, Siegert M, Oksman-Caldentey, K-M, Ritala A, Himly M, Obermeyer G, Ferreira F (2008) Production of recombinant allergens in plants. Phytochemistry Reviews **7:** 539-552z

2007

Sommer A, Mahlknecht G, Obermeyer G (2007) Measuring the osmotic water permeability of the plant protoplast plasma membrane: implication of the non-osmotic volume. J. Membr. Biol. 215: 111-123

Gehwolf R, Weiss R, Gabler M, Hurst AC, Bertl A, Thalhamer J, Obermeyer G (2007) From sequence to antibody: Genetic immunisation is suitable to generate antibodies against a rare plant membrane protein, the KAT1 channel. FEBS Lett., 581, 448-452

2005

Obermeyer G, Felle H (2005) Friedrich-Wilhelm Bentrup – on the occasion of his retirement. Protoplasma 227, 1 EDITORIAL

Obermeyer G, Ferreira F (2005) Can we predict or avoid allergenic potential of genetically modified organisms? Int Arch Allergy Immunol 137, 151-152 EDITORIAL

Hoidn C, Puchner E, Pertl H, Holztrattner E, Obermeyer G (2005) Nondiffusional release of allergens from pollen grains of *Artemisia vulgaris* and *Lilium longiflorum* depends mainly on the type of allergen. Int Arch. Allergy Immunol. **137**, 27-36

Pertl H, Gehwolf R, Obermeyer G (2005) The distribution of membrane-bound 14-3-3 proteins in organelle-enriched fractions of germinating lily pollen. Plant Biol **7**, 140-147

Obermeyer G, Tyerman S (2005) NH_4^+ currents across the peribacteroid membrane of soybean. Macroscopic and microscopic properties, inhibition by Mg^{2+}, and temperature dependence indicate subpicosiemens channel finely regulated by divalent cations. Plant Physiol. **139**, 1015-1029

Hörmannseder K, Obermeyer G, Foissner I (2005) Disturbance of endomembrane trafficking by brefeldin A and Calyculin A reorganizes the actin cytoskeleton of *Lilium* pollen tubes. Protoplasma, 227, 25-36

2004

Obermeyer G, Gehwolf R, Sebesta W, Hamilton N, Gadermaier G, Ferreira F, Commandeur U, Fischer R, Bentrup F-W (2004) Over-expression and production of plant allergens by molecular farming strategies. Methods, **32**, 235-240

2003

Kettner C, Obermeyer G, Bertl A (2003) Inhibition of the yeast V-type ATPase by cytosolic ADP. FEBS Letters **535**, 119-124

Griessner M, Obermeyer G (2003) Characterization of whole-cell K^+ currents across the plasma membrane of pollen grain and tube protoplasts of *Lilium longiflorum*. J. Membr. Biol., **193**, 99-108

Gadermaier G, Gehwolf R, Sebesta W, Pertl H, Hamilton N, Hoidn C, Ferreira F, Obermeyer G (2003) *In-planta* production of pollen allergens: expression of Art v 1 in virus- and *Agrobacterium*-transformed tobacco plants. Allergy Clin Immunol Int, WAO Suppl 1, 63-66

2002

Gehwolf R, Griessner M, Pertl H, Obermeyer G (2002) First patch, then catch: measuring the activity and the mRNA transcripts of a proton pump in individual *Lilium* pollen protoplasts. FEBS Letters **512**, 152-156

Ibrahim H, Pertl H, Pittertschatscher K, Fadl-Allah E, El-Shahed A, Bentrup F-W, Obermeyer G (2002) Release of an acid phosphatase activity during lily pollen tube growth involves components of the secretory pathway. Protoplasma **219,** 176-183

Foissner I, Grolig F, Obermeyer G (2002) Reversible protein phosphorylation regulates the dynamic organization of the pollen tube cytoskeleton: effects of calyculin A and okadaic acid. Protoplasma, **220,** 1-15

2001

Ferreira F, Himly M, Hebenstreit D, Dabrowska M, Vollmann U, Kraft D, Obermeyer G, Richter K (2001) Isolation and characterization of cDNA clones for mugwort (*Artemisia vulgaris*) pollen allergens. Int.Arch.Allergy Immunol. **124,** 77-79

Pertl H, Himly M, Gehwolf R, Kriechbaumer R, Strasser D, Michalke W, Richter K, Ferreira F, Obermeyer G (2001) Molecular and physiological characterisation of a 14-3-3 protein from lily pollen regulating the activity of the plasma membrane H^+ ATPase during pollen grain germination and tube growth. Planta **213**, 132-141

Elias M, Cvrckova F, Obermeyer G, Zarsky V (2001) Microinjection of guanine nucleotide analogues into lily pollen tubes results in isodiametric tip expansion. Plant Biol. **3,** 489-492

Cvrckova F., Elias M, Hala M, Obermeyer G, Zarsky V (2001) Small GTPases and conserved signalling pathways in plant cell morphogenesis: from exocytosis to the exocyst. P 105-122, Geitmann A, Cresti M, Heath IB (eds) NATO Science Series, IOS Press, Amsterdam